

Pleasant environment for your conservatory!

weinor conservatory awnings provide shade and save energy.

Available in many shapes, their look and engineering are the ideal match for your conservatory





weinor conservatory awnings — the all-round concept for a fantastic environment

With a weinor outdoor shade, you can also be sure to enjoy comfortable temperatures when the sun is beating down

To ensure that conservatories remain pleasant to stay in on very sunny days, you need the right type of shade. When the temperature outside reaches 27°C, the temperature inside can easily rise to 70°C if no shading is provided. Shades installed indoors don't offer sufficient protection here either. A high-quality weinor outdoor awning, however, can provide the perfect shade for large and small conservatories.



weinor conservatory awnings – all from one source

Everything on a weinor conservatory awning fits together perfectly – from the frame and sections to the casing and support brackets, to the fabrics and accessories. This is hardly surprising since all of the products are available from weinor.

Plenty of variety for all kinds of houses

No matter what the building scenario, weinor has a solution to hand – for pent roofs, gable roofs, horizontal or side shades. Choose your personal favourite from a variety of possibilities!

Use shades and save energy

Modern sun protection systems can help lower energy consumption in buildings by up to 10% according to a Europe-wide study*. How you benefit: By saving so much on running costs, your weinor sun protection system will be paid off in next to no time.

* IfT Rosenheim 2005

The use of shades helps to reduce sunlight and heat build-up by 60% – since the heat has no chance of penetrating, indoor temperatures can be lowered to a comfortable level.

weinor awnings with a big choice of colours

Choose from 47 standard frame colours, 8 scratch-resistant and robust trend colours as well as another 200 special RAL colours for your awning.





Extensive range of fantastic frame colours and fabrics

The skilful use of colours and fabric patterns turn your conservatory into a real pearl

weinor
Fabric range
MMMMMM

To ensure that the shade you choose matches your house and conservatory, weinor offers over 140 exquisite fabric patterns from weinor's moments fabric collection.

These, combined with a broad

selection of frame colours, allow you to add colour accents to your house to suit your taste.

weinor Weilex polyester fabrics

We also offer an additional 22 WeiTex polyester fabrics.
These fabrics display outstanding elasticity

and memory effect. The result: significantly less creasing and wrinkling and very good fabric positioning. The WeiTex Aqua version provides optimised protection from the rain when inclined at 14°.

Twice the protection

The remote-controlled sensors in the **WeiTronic** series give you and your conservatory awning the protection you need. It opens the awning automatically in sunshine and retracts it in rain and blustery conditions.

All of our conservatory awnings come with the very best weinor technology







All of our conservatory awnings are well-engineered and meticulously designed down to the very last detail

Matching colours for a harmonious look

Use contrasting coloured end caps to create interesting effects. Choose from attractive colours – to blend in with your house or garden furniture.

Support brackets

Choose from a wide range of support brackets that blend in to the style of your house or conservatory.

These support brackets can overcome all manner of building situations.

To achieve the best possible running smoothness, we at weinor have come up with something special. Our patented combination of a carriage and cord makes sure your conservatory awning opens and retracts quietly. On curved units, the carriage system also ensures the cord runs exactly, even through a curve.

Inspired by high seas sailing technology

The same tearresistant and high
tensile rope used
in high seas sailing
technology ensures
that the fabric is al-

ways well tensioned. At the same time, the patented combined coiling and guiding system allows for controlled, silent winding of the cord.

weinor WGM 2030/2020 Design



Efficient water drainage

When rain pelts down unexpectedly, the rainwater is led off to the sides in the same controlled manner as on a roof with corresponding pitch. Protective brushes in the awning casing prevent water penetrating the cassette.





WGM 2030/2020 Design – pleasant shade on large surfaces

These conservatory awnings are ideal as adjoining shade for large conservatories

The slimline awning casing is aesthetically designed and also a suitable solution where assembly is otherwise difficult.



WGM 2030/2020 Design awnings are designed for larger dimensions. They are available as flat and curved units – depending on whether you only need to shade the roof or also the front. WGM 2030/2020 Design awnings can shade conservatories to a depth of up to 6.5 m.

Comfort with the remote control

You can operate the **WeiTronic Remoto**remote control to adjust shade, heating
and light from your favourite chair.

Generous high-tech shade -

WGM 2030/2020 Design conservatory awnings



Flat and/or vertical shade

If you'd like to shade the roof and the front, your best bet is the WGM 2020 Design. This curved awning provides pleasing shade for the roof and front. If you'd like shade from above, the WGM 2030 Design flat unit is exactly what you are looking for.



Even more shade using multi-section units



A multi-section unit – either a coupled or series-connected unit – allows you to

fully shade even very large conservatories. And it makes no difference whether you own a flat or curved unit.



Combined flat and vertical units

As an alternative, you can opt for a WGM 2030 Design awning in combination with a window awning. This option means that the pitch of the roof and the side elements are shaded independently – although both are operated by remote control, of course. This solution is especially meaningful for smaller conservatories.



Flat Unit WGM 2030 Design



Arched Unit
WGM 2020 Design



Always taut

On larger versions, the distance bar prevents any sagging in the fabric. This way, your awning always has the right tautness.





WGM 1030 — looks, but bursting with technology

This all-round talent is suitable for around two-thirds of all conservatories



Small in size, the weinor **WGM 1030** awning has been designed for conservatories that aren't the biggest in their league. It may look dainty, but it comes with the same engineering brilliance of the larger models.



The weinor **WeiTronic remote** control not only allows you to operate the shade but also roof vents, sliding skylights and lights.

Small in size but big on technology -

the weinor WGM 1030



The perfect sun protection

In the blazing sun, conservatories become extremely hot. This is especially true if your house faces to the south or the west. For this reason, weinor offers a broad selection of intelligent shading solutions – with a look and technology perfectly tailored to your conservatory.



The perfect match – even in a tight squeeze

With a slimline casing with side caps that protrude a mere 5.5 mm at each end, the **WGM 1030** is an ideal option for difficult installations such as niches and protruding roofs.



Couplings for larger areas

For larger areas, up to four WGM 1030 awnings can be assembled side by side. The fabrics all open and retract at the same time. When the coupled awnings reach a certain width, two individual units running on the same motor are connected using double side channels.



Flat Units WGM 1030

WGM 2030/2020 Design, WGM 1030 standards

| Technical details | WGM 2030 Design | WGM 2020 Design |
|---|---|--|
| Max. width | 650 cm (1 array, until distance 500 cm) | 500 cm (1 array, until distance 600 cm) |
| | 2000 cm (4 arrays, until distance 500 cm) | 1200 cm (3 arrays, until distance 600 cm) |
| Max. projection | 650 cm (1 array, until projection 400 cm) | 600 cm (1 array, until projection 500 cm) |
| | 600 cm (4 arrays, until projection 1600 cm) | 600 cm (3 arrays, until projection 1200 cm) |
| Types of unit | Flat unit, 1–4 arrays | Arched unit, 1–3 arrays |
| 31 | 11/11/11/11/11 | H HH HH |
| Bending angle | not available | 0-90° until projection 400 cm 0-45° until projection 500 cm |
| Coupled units | optional available | optional available |
| Motor drive | included as standard | included as standard |
| WeiTronic* remote control | WeiTronic Combio-868 MA (with suitable WeiTronic hand-held control units) | |
| Pitch | minimum 5° | minimum 5° |
| Choice of materials | wide selection of fabrics from the current weinor collections | |
| 47 standard RAL colours | included | included |
| Other RAL colours | available (extra charge) | available (extra charge) |
| 8 trend colours | available (extra charge) | available (extra charge) |
| Other structure colours | available (extra charge) | available (extra charge) |
| Contrasting box and section end caps | available (extra charge) | available (extra charge) |
| | WGM 1030 | |
| Technical details | WGM 1030 | |
| Technical details Max. width | WGM 1030 450 cm | |
| | | |
| | 450 cm | |
| | 450 cm (1 array, until distance 400 cm) 1800 cm | |
| Max. width | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm | |
| Max. width | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm | |
| Max. width Max. projection | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) | |
| Max. width Max. projection Coupled units, max. 16 m ² Types of unit | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1–4 arrays | |
| Max. width Max. projection Coupled units, max. 16 m ² | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1-4 arrays | |
| Max. width Max. projection Coupled units, max. 16 m ² Types of unit Bending angle | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1–4 arrays //////////////////////////////////// | able WeiTronic hand-held control units) |
| Max. width Max. projection Coupled units, max. 16 m ² Types of unit Bending angle Motor drive | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1–4 arrays //////////////////////////////////// | able WeiTronic hand-held control units) |
| Max. width Max. projection Coupled units, max. 16 m ² Types of unit Bending angle Motor drive WeiTronic* remote control | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1-4 arrays //////////////////////////////////// | |
| Max. width Max. projection Coupled units, max. 16 m² Types of unit Bending angle Motor drive WeiTronic* remote control Pitch | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1–4 arrays //////////////////////////////////// | |
| Max. width Max. projection Coupled units, max. 16 m² Types of unit Bending angle Motor drive WeiTronic* remote control Pitch Choice of materials | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1-4 arrays //////////////////////////////////// | |
| Max. width Max. projection Coupled units, max. 16 m² Types of unit Bending angle Motor drive WeiTronic* remote control Pitch Choice of materials 47 standard RAL colours | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1-4 arrays //////////////////////////////////// | |
| Max. width Max. projection Coupled units, max. 16 m² Types of unit Bending angle Motor drive WeiTronic* remote control Pitch Choice of materials 47 standard RAL colours Other RAL colours 8 trend colours | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1–4 arrays //////////////////////////////////// | |
| Max. width Max. projection Coupled units, max. 16 m² Types of unit Bending angle Motor drive WeiTronic* remote control Pitch Choice of materials 47 standard RAL colours Other RAL colours | 450 cm (1 array, until distance 400 cm) 1800 cm (4 arrays, until distance 400 cm) 500 cm (1 array, until projection 350 cm) 500 cm (4 arrays, until projection 1500 cm) optional available Flat unit, 1-4 arrays //////////////////////////////////// | |



We offer the very highest quality

weinor puts a lot of emphasis on quality, from the design and materials to workmanship, mounting and service, so you can enjoy your conservatory awning for a long time.

Proven top quality

awning technology for the highest demands







Made in Germany – certified top weinor quality

Quality is our first commandment. That's why all our products are designed with durability and safety in mind, as numerous certificates from Germany's inspection authorities (TÜV) show. weinor invests a lot in the development of new products. The result: innovative products made in Germany.

We don't cut corners on the big or small parts:
All our small parts such as screws, nuts and bolts are of stainless steel so they will last especially long. All other parts are powder coated in an elaborate process.
This makes them impact and scratch resistant.

Patented technology

It's not only our combined coiling and guiding system that is patented Europewide – our service-friendly, circumferential tensioning system is, too. This helps us ensure that your conservatory awning runs especially safely and quietly, and, thanks to its optimised tension, will keep running smoothly for a long time, just as it did on day one.

Good advice from your specialist

To equip your conservatory with a suitable conservatory awning, you need an expert partner who listens to your needs. Your weinor dealer will be happy to answer any questions you may have!

Qualified maintenance

To keep the beauty and value of your conservatory awning, it's vital that it is professionally cleaned and maintained at regular intervals. With this in mind, maintenance agreements are available from your weinor dealer.

Rediscover your patio



▲ weinor awnings

Your dream patio at any time of year

▼ The **Glasoase**® from the weinor world of terraces





▲ weinor patio roofs with **VertiTex** awning



▲ weinor conservatories

No matter what you want to use your patio for, weinor has the right product for you – awning, patio roof, Glasoase® and conservatory

As an experienced specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.

Important Informations:

For textile sun protection: Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fishone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for protection from the sun and should be rolled up in rain

and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319).

For patio roof, Glasoase®, conservatory: contact a qualified conservatory builder for information on the causes of condensation and occasional cracking noises, and on how to avoid these from the outset during the planning stage.

www.weinor.com

Your dealer will be happy to advise you: