

Harness pleasant natural light and make those special places even more so.


Designer Awnings for Conservatories, Glass Canopies and Windows





Full details can be found at markilux.com





## The sun smiles down on an awning. Life smiles on you under a markilux.

#### Enjoying feel-good temperatures

Natural light and the sun's rays enrich the quality of life – both indoors and out – in a way that little else can. No artificial light source comes close. But, depending on the sun's elevation and the season, sometimes we can have too much of a good thing. So that you can enjoy all those precious moments without distraction and discomfort, markilux designer awnings protect conservatories, glass canopies and living areas from the powerful rays of the sun. They ensure a pleasant living environment and reliable protection from glare. markilux textile shading systems are as aesthetically pleasing to the eye as they are sturdy. Right down the line. Award-winning. Outstanding.

markilux designer awnings have received a multitude of awards:











l Brai

| for example the markilux 779 / 879

# Reduced to the essence: Free. Time. Premium quality made in Germany.

For over 50 years, markilux has been developing and manufacturing top-quality solar protection solutions. markilux designer awnings are characterised by their first-rate, multi-award-winning design and innovative technology. The production of awning and cover under one roof is the essence of what markilux "Made in Germany" represents, with the aim of making an al fresco lifestyle comfortable, convenient and enjoyable. With markilux, you can turn your favourite spot outdoors into something extra special. The best under the sun. Create the most alluring shade in the world.



#### markilux quality

The best possible materials and a comprehensive quality management system ensure that every markilux designer awning has a long service life. As a company, markilux is certified in accordance with EN ISO 9001 standards.



#### markilux functionality

markilux combines innovative technologies and smart solutions to create high-end products. A multitude of accessories and operating options make it possible to individualise your markilux designer awning in line with your own personal wishes.







#### markilux service


The combination of a brand product, expert advice and professional installation makes your solution perfect. Qualified markilux specialist dealers provide a comprehensive service and a personal point of contact in your area.






#### markilux design

It is the perfect combination of form and function that turns an awning into a markilux designer awning. In this respect, markilux relies on its long-standing experience in R&D and design.



## markilux





#### Textile ambience

markilux offers more than 200 timelessly beautiful fabric patterns in the highest quality – the decision is yours.



#### Excellent design

markilux has the awning that matches your home perfectly both from the outside and the inside.



#### Comfort whatever the weather

Infrared heaters and smart operation technology for all markilux glass canopy awnings ensure comfort is unique and perfect.





# Make the most of the weather however it turns out.

#### Your home. Your markilux.

Would you like to shade your conservatory in a stylish manner? Are you looking for an awning for your glass canopy

which unites impressive functionality and attractive design?

Glass canopy awnings by markilux effectively prevent a build-up of heat: sun rays are absorbed by the cover before they can enter the conservatory. The full room height remains available. If you opt for an underglass awning, the cover is perfectly protected from the wind and weather and numerous lighting options cleverly highlight your favourite spot.



#### Perfect solutions

Not possible? Of course they are. Together with your markilux specialist dealer you will find the perfect solution for every situation.

# This is what we mean by a successful Up-Grade.

#### A magnificent design that casts its shade wide

The perfect solar shading solution for glass canopies and conservatories. The high-grade above-glass awning markilux 7800 with classic, angular cassette design integrates itself perfectly into the minimalistic, modern architectural building style of today. The sophisticated, long-proven tensioning system and optional markilux tracfix technology provide excellent cover tension – even at larger widths and extensions.



**m**×\_7800

Show the sun its limits. The above-glass awning markilux 7800 protects your favourite sitting area from direct sunlight and reduces the build up of heat.



## **MX**\_7800





The design: fantastic. The technology: reliable. Select the awning of your choice to shade conservatories of up to  $36 \text{ m}^2$  – or even much larger areas by using a coupled awning.



#### In perfect harmony with one another

The classic, angular cassette design,  $200 \times 160$  mm, harmoniously matches the modern shape of your conservatory.



#### Reliable cover guidance

The markilux tracfix system closes the gap between the guide track and the cover and maintains optimum cover tension.



**MX**\_8800

Excellent solar protection for areas of up to  $36 \, \text{m}^2$  with just one cover. Even larger glass surfaces can easily be shaded with a coupled awning.



## Once on top. Always on top.

#### Enjoy life in your conservatory even on the hottest of days

A markilux awning fitted above the glass reflects glaring sunlight, ultraviolet light as well as a considerable proportion of heat radiation and at the same time immerses your conservatory in pleasant natural daylight. Heat remains outside while you can properly enjoy being inside. Whether small or large glass areas, classic or hipped roofs – enjoy pleasant temperatures and create your very own dream conservatory with the round cassette awning markilux 8800.





#### Excellent design

Elegant and functional. The fully closed cassettes of the markilux 8800 and 8850 protect the cover in wind and weather, Ø 187 mm.





**m×**\_8850

Perfect for hipped roof conservatories: the lateral guide tracks can be indented by up to 100 cm.





With a diameter of just 130 mm, the round cassette harmoniously nestles against the conservatory and provides all-round protection to the retracted cover.



#### Square. Practical. Unobtrusive.

Both the square markilux 770 awning for installation on top of a glass surface and its round counterpart are quiet. Noise-reducing closing guides ensure the awning retracts with minimum audible distraction.



## Small format. Big impact.







#### A round matter

Using the markilux 770 or 870 you can shade up to  $450 \times 400$  cm in a stylish matter and enjoy the comfort and quality of markilux for many years to come.



Compact square full cassette, 125 × 125 mm, for those who prefer clean lines in their designs.



Attractive round full cassette for those who love flowing curves, Ø 130 mm.





## Cosy and intimate. Under glass.

## A brilliant solution.

#### In people's minds and above their heads

Spend the day outside in your own garden below a protective canopy. markilux designer awnings promise the best protection from too much sun and help create your very own cosy outdoor area. The cover extends under the glass canopy and is protected against dirt, wind and weather.

The underglass awnings from markilux are compelling with compact full cassettes, which harmoniously adapt to suit the glass canopy. A large variety of lighting constellations ensures the perfect atmosphere.



#### GERMAI DESIGN AWAREI



#### A shadeplus complements your markilux underglass awning

The ideal addition to the shading options for glass canopies – completely in line with the clear design approach of markilux "Made in Germany", it is integrated into the front profile of the underglass awning.



#### LED Line attached to the guide tracks

Energy efficient, stylish and, like all markilux lighting modules, conveniently dimmable by means of remote control. If desired, also available in the light bar.



#### LED Spots

Skilfully put your favourite spot in the limelight and enjoy the evening in a pleasantly lit atmosphere.
Can be dimmed and pivoted. In the markilux 779, they can be attached to both the cassette and the light bar.



## mx\_779 | mx\_879 Options







markilux 779 with LED Line in the cassette
Pleasant, ambient lighting in intricate markilux design.


Evening is the time for those little highlights

Discover all the options in the showroom of your local markilux specialist dealer or at markilux.com



## markilux





Diversity in textiles

Whether opaque or transparent, discreetly patterned or garishly bright: in our markilux collection you will find just the right awning fabric to create your own personal sunshine.





## Your own personal sunshine.

## Three good reasons. Countless possibilities.

#### Textile shading provides improved living comfort

markilux designer blinds and awnings for windows offer numerous advantages in comparison with standard shading systems. They offer effective protection against the often blinding rays of the sun and prevent the room from heating up, thus maintaining a pleasant living environment. markilux designer awnings immerse your room in softly adjusted daylight without blocking out the sun entirely. Transparent awning fabrics allow a clear view outside whilst shielding you from prying eyes. Ease of operation or integration into a home automation system is a given at markilux.



Optimum protection from prying eyes markilux awning covers protect you from prying eyes and maintain the privacy of your own four walls.



Models and options
As individual as you are: choose the markilux with the style and accessories that match your home.

#### Effective solar protection

markilux vertical roller blinds provide optimum UV protection and convert the sun's sometimes blinding rays into soft ambient lighting.



#### markilux 620 sundrive

The integrataed solar module with powerful accumulator which drives the radio-controlled motor is available as an optional extra.







| markilux 776 / 876

## **m×**\_620 | 625 | 710 | 776 | 876





## markilux vertical cassette roller blinds.

My house. My style. My markilux.

#### As individual as your home

Those who value stylish furnishings, will definitely not enter into any compromise as far as their view outside is concerned. A markilux vertical cassette roller blind is the perfect symbiosis of functionality and design. When extended, the perfectly tensioned cover offers ideal protection from the sun, glare and inquisitive glances. When retracted, it is protected both from the weather and dirt in the fully enclosed cassette.



#### Perfect cover tension

Depending on the model, markilux vertical cassette roller blinds are equipped with special gas pistons. This gives the cover perfect tension even in larger units and under greater wind loads.

#### Fixture type



Face fixture

The frame shape that matches your windows.



Stand-off fixture

Brackets with decorative covers give a perfect overall appearance.



#### Reveal fixture

Discreet and unobtrusive.



#### markilux tracfix

This lateral cover guidance system without a gap between the awning / blind cover and the guide track: guarantees a more attractive overall appearance and better wind stability.

#### Models



 $m \times 620$ 95 × 110 mm, cover guidance by way of guide tracks, optionally with markilux sundrive, the integrated solar module for operating the remote controlled motor



■ T776 125 × 125 mm, cover guidance by way of guide tracks



☐X \_625 125 × 135 mm, cover guidance by way of guide tracks



■ 876 Ø 130 mm, cover guidance by way of guide tracks



☐X \_ 710 95 × 95 mm, cover guidance by way of stainless steel cables

#### markilux

drop-arm cassette awning

max. 700 × 250 cm

#### Cover guidance

drop arm (80/100/120/150 cm)

#### Cover tension

stainless steel gas piston

#### Fixture type

face/top/reveal optionally: telescopic accro bars

#### Wind resistance class 2

wind speed, Beaufort force 5  $\rightarrow$  28 - 37 km/h; 17 - 23 mph



#### Classic awning. Compact cassette.

A classic when extended, an eye-catcher and gem on a building. When retracted, the compact cassette protects the cover and the awning merges discreetly with the architecture.



## markilux drop-arm cassette awning.

## Exceptional. Eye-catching.

#### Great solar protection and great visibility

A cassette awning with classic appearance that protects against the sun and still permits a clear view outside. The drop arms with gas pistons tension the cover in an angle of up to 140 degrees to the window. The front profile with spring-loaded closing mechanism ensures the profile finishes tight against the underside of the cassette. Telescopic accro bars are optionally available for installation on a balcony.



TX\_730 Square cassette, 95 × 95 mm

## **MX** \_ 740

## The markilux Marquisolette.

# The most successful combination of light and shade.

#### The ideal combination of vertical blind and drop-arm cassette awning

In the upper section, the solar and visual protection runs vertically, in the lower section the amount of incoming light can be determined in a flexible manner depending on the position of the drop arms. The height of the area to be shaded vertically can be set to fulfil your individual requirements in terms of maximum shade and a perfect view outside.



Square cassette,  $95 \times 95$  mm, as standard with a cover profile: looks tidy and protects the cover when retracted.





#### markilux Marquisolette

max. 300 × 300 cm

#### Cover guidance

angled guide rail with drop arm (60 cm) attached

#### Cover tension

stainless steel gas piston

#### Fixture type

face/reveal

#### Wind resistance class 2

wind speed, Beaufort force 5 → 28 – 37 km/h; 17 – 23 mph

#### Smart looks and effective technology in elegant combination

Angled guide rail with high-grade slide mechanism.

Drop arms with gas piston technology and markilux windlock mechanism.

#### The markilux triangular blind

max. 400 × 500 cm

#### Cover guidance

guide tracks plus tensioning cords

#### Cover tension

gas pistons in the track

#### Fixture type

stand-off

#### Wind resistance class 2

wind speed, Beaufort force 5  $\Rightarrow$  28 - 37 km/h; 17 - 23 mph



#### You know what you want

We bring your vision to life. Talk to your markilux specialist dealer and allow yourself to be inspired at markilux.com





# The markilux triangular blind. The pinnacle of efficiency.

#### The solar protection and privacy solution for unconventional windows

Triangular windows or skylights are fitted with made-to-measure solar protection from markilux. The sturdy full cassette protects the cover from becoming soiled. The tensioning system which uses highly tear-resistant tensioning cords and integrated gas pistons ensures optimum cover stability at every stage of extension.







MX \_ 893 Round cover cassette, Ø 115 mm, with brush seal at cover exit point.

#### The clever system offering bespoke solutions

Patented clip-on fixture of the guide tracks to the brackets and the wide range of fixture options permit interior, exterior, vertical, horizontal or diagonal installation.



## markilux





markilux collection one – One collection, endless ideas

Choose your own favourite pattern from a number of different colour families. When making your selection allow yourself to be inspired, enthused and advised by a markilux specialist dealer near you ...





# The most beautiful fabric between heaven and earth.

### The markilux cover fabric collection

The colour and quality of the awning fabric are what help make the ambience on your patio something special. Colour nuances, patterns and textures succeed in creating that uniquely special effect by virtue of their brightness and hue. As a leading manufacturer of high-grade awning fabrics with 50 years of experience in the manufacture of textiles, markilux offers an unparalleled variety. The markilux textile design team is constantly developing new patterns in line with the latest trends, which are nevertheless characterised by their timeless appeal. Among the more than 200 patterns in thematically coordinated colour families, you are bound to find your very own and most beautiful fabric between heaven and earth.





Art. Full.
Visual highlights for your patio.
Works of art, in fact.

### Self-cleaning effect

Water droplets pick up dirt particles and run off the awning cover taking the dirt with them (the awning must be set at a pitch of at least 14 degrees), ensuring you can enjoy your beautiful fabric for a long time to come.



### Bonded awning covers

Panel joints bonded together ultrasonically ensure a consistent, unobtrusive appearance. Their excellent resistance to water, light and fluctuations in temperature ensures that the service life of the cover is extended substantially.



### Light and weather resistance and resistance to fading

High-tech yarns dyed right to the core and the high-grade snc finish developed in house guarantee the most stunning shade in which to relax.



### markilux AR App and awning cover finder

markilux develops, manufactures and tests its awning cover fabrics in its own facility in Germany. Find your own personal favourite amongst the more than 200 cover patterns in the showroom of your markilux specialist dealer, with the markilux AR App or with the Awning Cover Finder at markilux.com












### markilux specials





#### transolair

This sunvas fabric with special perforation technique stands for impressive transparency as well as good light and air permeability. It guarantees an exchange of air between the cover and the glass, thus effectively reducing the build-up of a heat cushion.

### perfotex

Ideal for conservatories. Gaps in the warp make this sunsilk material permeable to both water and air.





### perla FR

This highly flame-retardant and waterproof (for purpose) sunvas material meets extremely exacting fire safety regulations.

#### vuscreen ALU

Solar protection with climate protection. Good view to the outside with a better climate in the room thanks to the aluminium particles on the high-tech fabric.

Detailed information about the typical properties of awning fabrics is available from your markilux specialist dealer and in the current markilux awning fabric brochure.


# markilux awning covers. Quality – Made in Germany.

### Functionality can be so beautiful

markilux leaves nothing to chance when it comes to making awning covers. We add a final finishing flourish to the fabric qualities sunsilk and sunvas with a special formula developed in house. This gives these awning covers particularly high longevity and the necessary resistance to dirt and the weather.

markilux awning covers made of sunsilk, sunvas and sunbow usually offer the highest possible UV protection for textiles with UPF 50+. This means that your skin's own system of protection is enhanced by a factor of more than 50. This allows you to enjoy sunny days for longer, without putting your health at risk.


Certified in accordance with Oeko-Tex standard 100, all markilux awning covers are guaranteed free from harmful dyes and chemicals.





5229

RAL colour of your choice





Havana brown textured finish



# Sounds perfect. Looks better.

### Tone in tone.

### markilux awning colours

The awning frame colour complements and enhances the colour of the fabric and creates a perfect link to the architectural surroundings. From a variety of shades of white through to the timelessly elegant anthracite, a broad range of colours is available to you. And if you want to create your own particular colour scheme? No problem! We will gladly manufacture your dream awning in your own personal shade.

Our high-grade powder coating finish is guaranteed for any awning colour you choose.

### Matching every architectural style and customer demand

All markilux frame colours are available without surcharge. Non-standard colours can be selected on request.

# Make it easy on yourself. **And comfortable.**

### markilux ease of operation

Fulfils the highest expectations and can be used in any weather conditions. The choice is yours: manual operation, hard-wired motor or radio-controlled motor with remote control are all possible on most models. And if you wish, light, wind and rain sensors will control your markilux designer awning according to the prevailing weather conditions. Alternatively, you simply operate it at home yourself and this can even be done when you're out and about via your smartphone or tablet.

Your markilux specialist dealer is at your disposal should you have any queries and will provide you with details on how you can connect several individual units together and operate them with the touch of a button.











Automatic weather controls
With light, wind and rain sensors,
your markilux system will react
to any change in the weather. In
sunny conditions your blinds will
extend automatically, and in wind
and rain they will retract.



markilux remote control
Perfect protection from the sun,
inquisitive glances and glare comfortably at the touch of a button.

You too will be impressed

markilux offers a broad range of stylish and smart solutions that show your house in the best of lights.

Get detailed information and competent advice from your markilux specialist dealer or go to markilux.com

# More markilux. Fewer compromises.

markilux options and accessories



### markilux shadeplus

The ideal addition to the shading options for glass canopies, integrated into the front profile of the markilux 779/879.



#### Side screen markilux 790

Protects against low-lying sun and wind from the side, as well as stopping prying eyes. Maximum height 250 cm. Maximum extension 450 cm.



### Vertical designer roller blinds

Simply shield yourself from inquisitive glances and low-lying sun. Sit protected from the wind and rain. Enjoy the warmth of the day for longer. Adding vertical designer roller blinds from markilux makes your outdoor room perfect – and more private.



#### silentec motor

Deafeningly quiet. In the markilux 8800, this special motor ensures particularly quiet operation.



### Coupled awnings

An extensive range of brackets allows several units to be installed next to one another – creating XXL shading solutions.



### markilux infrared heater

Feel the warmth in an instant and enjoy the evening outside for even longer. Either as stand-alone unit (1400 Watt) or installed under your awning (2500 Watt, the latter optionally dimmable in three stages).



### Flush front profile

Completely extended it finishes flush with the guide tracks.



### markilux LED Spotline

Turn night into day. The elegant light bar in a powder-coated aluminium housing, that can be fitted almost anywhere. The LED Spots can be swivelled and dimmed. Available in two sizes: 180 cm with 3 spotlights and 300 cm with 5 spotlights.



### Decorative covers for guide track brackets

Bolt and nut heads disappear.
Achieve a perfect overall appearance.

Availability depends on the model

# More freedom. More free space.

markilux options and accessories




### Perfect cover fit

High cover tension is achieved by virtue of two concealed special gas pistons operating independently of one another in the front profile.







### markilux tracfix

One of the many sophisticated features offered by markilux: the lateral cover guidance system without a gap between the awning / blind cover and the guide track. Gives an overall better appearance and improves wind stability.

### markilux panorama window

Wouldn't you like to be able to sit outside below your patio roof, protected from wind and weather, and still be able to enjoy an unobstructed view? For the markilux 776/876 with tracfix, we offer you the markilux panorama window.

Maximum dimensions 600 × 300 cm.

Maximum height of the panorama window approx. 135 cm.





markilux above-glass awnings – more effective protection from a build up of heat for conservatories and glass canopies.

|  | markilux 7800<br>Page 10      | markilux 8800<br>Page 12      | markilux 8850<br>Page 13               | markilux 770<br>Page 14       | markilux 870<br>Page 14       |
|--|-------------------------------|-------------------------------|--|-------------------------------|-------------------------------|
|  |                               |                               |  |                               |                               |
| Max. width × extension                     | 700 × 450 cm / 500 × 700 cm   | 700 × 450 cm / 500 × 700 cm   | 650 × 400 cm / 500 × 500 cm            | 450 × 400 cm (tracfix)        | 450 × 400 cm (tracfix)        |
| Optional with tracfix                      | 600 × 450 cm / 500 × 600 cm   | 600 × 450 cm / 500 × 600 cm   |  |                               |                               |
| Cassette dimensions                        | 200 × 160 mm                  | Ø 187 mm                      | Ø 187 mm                               | 125 × 125 mm                  | Ø 130 mm                      |
|  |                               |                               |  |                               |                               |
| Operation                                  | Hard-wired motor              | Hard-wired motor              | Hard-wired motor                       | Hard-wired motor              | Hard-wired motor              |
| Optional                                   | • radio-controlled motor*     | • radio-controlled motor*     | • radio-controlled motor*              | • radio-controlled motor*     | • radio-controlled motor*     |
|  | • silentec motor              | • silentec motor              |  |                               |                               |
| Cover guidance                             | Guide tracks                  | Guide tracks                  | Guide tracks                           | Guide tracks (tracfix)        | Guide tracks (tracfix)        |
| Optional                                   | • tracfix                     | • tracfix                     |  |                               |                               |
| Covertension                               | Gas pistons                   | Gas pistons                   | Gas pistons                            | Gas pistons                   | Gas pistons                   |
|  |                               |                               |  |                               |                               |
| Fixture type                               | Above glass                   | Above glass                   | Above glass / Hipped roof conservatory | Above glass                   | Above glass                   |
|  |                               |                               |  |                               |                               |
| Wind resistance class                      | 3                             | 3                             | 2                                      | 3                             | 3                             |
| Equivalent of Beaufort force  → wind speed | 6 → 38 – 48 km/h; 24 – 30 mph | 6 → 38 – 48 km/h; 24 – 30 mph | 5 → 28 - 37 km/h; 17 - 23 mph          | 6 → 38 – 48 km/h; 24 – 30 mph | 6 → 38 – 48 km/h; 24 – 30 mph |
| Options**                                  |                               |                               |  |                               |                               |
|  | • coupled awning              | • coupled awning              |  |                               |                               |

### markilux underglass awnings – awning cover protected under the glass.



### markilux 779 markilux 879 Page 16 Page 16 600 × 450 cm / 400 × 600 cm $600 \times 450 \text{ cm} / 400 \times 600 \text{ cm}$ 600 × 450 cm 600 × 400 cm 125 × 125 mm Ø 130 mm Manual operation Manual operation o hard-wired motor • hard-wired motor • radio-controlled motor\* • radio-controlled motor\* Guide tracks Guide tracks tracfix tracfix Gas pistons Gas pistons Underglass Underglass 2 – 3 depending on the dimensions/3 with tracfix 2-3 depending on the dimensions /3 with tracfix $5-6 \rightarrow 28-48 \text{ km/h}$ ; 17-30 mph $5-6 \rightarrow 28-48 \text{ km/h}$ ; 17-30 mph• LED Spots in the cassette • LED Spots in the light bar • LED Line in the light bar and/or light bar • LED Line in the cassette and / or and/or guide tracks light bar and / or guide tracks • shadeplus • shadeplus

# Awning Configurator



### Create the most alluring shade in the world.

Configure your markilux designer awning including cover and optional extras at markilux.com

Your markilux specialist dealer will advise you personally on site, will draw up an offer tailored to your requirements and install the product professionally.





### Vertical Roller Blinds

|                              | markilux 620                  | markilux 625   | markilux 710                  | markilux 776  | markilux 876   |
|------------------------------|-------------------------------|--|-------------------------------|---|--|
|                              | Page 24                       | Page 24  | Page 24                       | Page 24   | Page 24  |
|                              |                               |  |                               |   |  |
|                              | N. Santa                      | 100 miles  | 9                             | 530000  | A STATE OF THE PARTY OF THE PAR |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
| Max. width × unit height     | 400 × 300 cm                  | 600 × 350 cm   | 500 × 350 cm                  | 600 × 350 cm  | 600 × 350 cm   |
| Optional                     | 300 × 400 cm                  | 550 × 400 cm   | 333 333 3                     | 400 × 600 cm  | 400 × 600 cm   |
| Орионат                      | 300 A 400 CIII                | 330 ^ 400 CIII   |                               | 400 × 000 cm  | 400 × 000 cm   |
| Cassette dimensions          | 95 x 110 mm                   | 125 x 135 mm   | 95 x 95 mm                    | 125 x 125 mm  | Ø 130 mm   |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
| Operation                    | Hard-wired motor              | Hard-wired motor   | Manual operation              | Manual operation  | Manual operation   |
| Optional                     | • radio-controlled motor*     | • radio-controlled motor*  | • hard-wired motor            | • hard-wired motor  | • hard-wired motor   |
|                              |                               |  | • radio-controlled motor*     | • radio-controlled motor*                                     | • radio-controlled motor*  |
| Cover guidance               | Guide rails (tracfix)         | Guide rails (tracfix)  | Stainless steel cables        | Guide tracks  | Guide tracks   |
| Optional                     |                               |  |                               | • tracfix   | • tracfix  |
|                              |                               |  |                               |   |  |
| Covertension                 | Gravity fed                   | Gravity fed  | Gravity fed                   | Gas pistons   | Gas pistons  |
|                              |                               |  |                               |   |  |
| Fixture type                 | Face/reveal**                 | Face/reveal**  | Face/top/reveal               | Face/reveal/stand-off   | Face/reveal/stand-off  |
|                              |                               |  |                               | post fixture  | post fixture   |
|                              |                               |  |                               |   |  |
| Wind resistance class        | 3                             | 2 – 3  | 2                             | 2 - 3   | 2 – 3  |
| Equivalent of Beaufort force | 6 → 38 – 48 km/h; 24 – 30 mph | $5 - 6 \rightarrow 28 - 48 \text{ km/h}$ ; $17 - 30 \text{ mph}$ | 5 → 28 – 37 km/h; 17 – 30 mph | $5 - 6 \rightarrow 28 - 48 \text{ km/h}; 17 - 30 \text{ mph}$ | $5 - 6 \rightarrow 28 - 48 \text{ km/h}; 17 - 30 \text{ mph}$  |
| → wind speed                 |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
| Options                      | • sundrive                    |  |                               | panorama window   | opanorama window   |
|                              | up to max. 250 × 300 cm       |  |                               | only possible with tracfix                                    | only possible with tracfix   |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |
|                              |                               |  |                               |   |  |

 $<sup>^{\</sup>star\star}$  Fixture directly through the guide rails – the cassette is fitted tight against the wall


### Drop-arm Cassette Awning

Marquisolette

### Triangular Blind

| markilux 730<br>Page 28       | markilux 740<br>Page 30       | markilux 893<br>Page 32       |
|-------------------------------|-------------------------------|-------------------------------|
|                               |                               | 4                             |
| 700 × 250 cm                  | 300 × 300 cm                  | 400 × 500 cm                  |
| 95 × 95 mm                    | 95 × 95 mm                    | Ø 115 mm                      |
|                               | including protection profile  |                               |
| Manual operation              | Manual operation              | Hard-wired motor              |
| • hard-wired motor            | • hard-wired motor            | • radio-controlled motor*     |
| • radio-controlled motor*     | • radio-controlled motor*     |                               |
| Drop arms                     | Guide rails                   | Guide tracks                  |
| 80 / 100 / 120 / 150 cm       | incl. drop arm 60 cm          | incl. tensioning cords        |
| Gas pistons                   | Gas pistons                   | Gas pistons                   |
|                               |                               |                               |
| Face/top/reveal               | Face / reveal                 | Stand-off                     |
| • wedge-in accro posts        |                               |                               |
| 2                             | 2                             | 2                             |
| 5 → 28 – 37 km/h; 17 – 23 mph | 5 → 28 – 37 km/h; 17 – 23 mph | 5 → 28 – 37 km/h; 17 – 23 mph |
|                               |                               |                               |
|                               |                               |                               |
|                               |                               |                               |
|                               |                               |                               |

# markilux



Allow yourself to be inspired, enthused, advised ...

Every option can be found in the showroom of a markilux specialist dealer near you or at markilux.com

### The best under the sun. Create the most alluring shade in the world.

Innovative technology and the pinnacle of quality, have received both acclaim and multiple awards. Made in Germany. Ideas, detailed information, professional advice and all the exquisite markilux awning fabric patterns can be found in your specialist dealer's showroom and at markilux.com



